# Wooden collection

200 x 1200 m m





# TEXTURE.

#### TECHNICAL SPECIFICATION














## COMPLETE AND PERFECT TILING SOLUTION

We offer integrated solutions for flooring and wall cladding, technical applications, ventilated facades, raised floors, tactile floors and outdoor surfaces. A complete and wide ranging offer, supported by large collections with a wide range of colours and surfaces to design any type of commercial and residential space.


#### **APPLICATION AREA**

















**BEDROOM** 

**BATHROOM** 

RECEPTION

LIVING ROOM

HOSPITAL

**OFFICES** 

HOTEL

BANK






#### **AFRICAN BLACK WOOD**


SIZE : **200x1200MM** 


FINISH: MATT


**GLAZED VITRIFIED TILES** 

### **LAYING**POSSIBILITIES













**AFRICAN BLACK WOOD** 






#### **AMERICAN ELM WOOD**


SIZE: 200x1200MM


FINISH: MATT


**GLAZED VITRIFIED TILES** 

LAYING POSSIBILITIES













**AMERICAN ELM WOOD** 









**ANTIQUE WOOD BROWN** 









**ANTIQUE WOOD GOLD** 









**ANTIQUE WOOD OLIVE** 









**ANTIQUE WOOD PIMLICO** 









**ARJUN WOOD BROWN** 











**ART WOOD BROWN** 










**ART WOOD GOLD** 









**ART WOOD OLIVE** 









**BAKU BLACK** 









**BAKU GOLD** 









**BAKU NATURAL** 









**BAKU OLIVE** 

















**BAKU WOOD GREY** 









**BAKU WOOD WHITE** 







### **BARK WOOD BROWN**


SIZE: 200x1200MM


FINISH: MATT

**GLAZED VITRIFIED TILES** 














**BARK WOOD BROWN** 






### **BEIGE BRICH WOOD**









**BEIGE BRICH WOOD** 

















**BOSCO NATURAL** 









**BOSCO ALMOND** 









**BOSCO BROWN** 







### **BROWN BRICH WOOD**


SIZE : **200x1200MM** 


FINISH: MATT

**GLAZED VITRIFIED TILES** 













**BROWN BRICH WOOD** 







### COCO WOOD


SIZE : **200x1200MM** 


FINISH: MATT

**GLAZED VITRIFIED TILES** 



















### **COFFIE BROWN**


SIZE : **200x1200MM** 


FINISH: MATT

**GLAZED VITRIFIED TILES** 













**COFFIE BROWN** 









**COINES WOOD BEIGE** 










**COINES WOOD BROWN** 









**COINES WOOD DARK GREY** 










**COINES WOOD WHITE** 









#### **CORSON HONEY PINE**









**CORSON WOOD DARK GREY** 










**CORSON WOOD LIGHT GREY** 

















**DECOR BROWN** 









**GALEXY WHITE** 









**GREY BRICH WOOD** 









**KALINA ALMOND** 









**KALINA BEIGE** 









**KALINA BROWN** 










**KALINA GREY** 









**KALINA WHITE** 






### **KASHMIR COFFEE**


SIZE : **200x1200MM** 


FINISH: MATT


**GLAZED VITRIFIED TILES** 

**LAYING**POSSIBILITIES













**KASHMIR COFFEE** 






# **KASHMIR NATURAL**


SIZE : **200x1200MM** 


FINISH: MATT


**GLAZED VITRIFIED TILES** 

# **LAYING**POSSIBILITIES













**KASHMIR NATURAL** 






## **KASHMIR ORANGE**


SIZE : **200x1200MM** 


FINISH: MATT


**GLAZED VITRIFIED TILES** 

LAYING POSSIBILITIES















### **KASHMIR ORANGE**









**KASHMIR ROSE** 

#### **TECHNICAL SPECIFICATION**

CHARACTERISTIC	STANDARD AS PER ISO-13006/En14411 GROUP Bla	OUR VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5%	± 0.3%	ISO - 10545-2
Deviation in thickness	± 0.5%	± 4.0%	ISO - 10545-2
Straightness in side	± 0.5%	± 0.1%	ISO - 10545-2
Rectangularity	± 0.5%	± 0.1%	ISO - 10545-2
Surface flatness	± 0.5%	± 0.2%	ISO - 10545-2
Color difference	Uniterned	No change	ISO - 10545-2
Glossiness	As per mfg.	Min 90%	GLOSSO METER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO - 10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES	•		
Modulus of repture	Min. 35 N/mm²	Min. 40 N/mm²	ISO - 10545-4
breaking strength	Min. 1300 N	Min. 1800 N	ISO - 10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO - 10545-5
SURFACE MECHANICAL PROPERTIES	·		•
Resistance to surface abrasion (PEI Rating)	As per mfg.	Class 4	ISO - 10545-7
MOH's harfness	As per mfg.	Min 5	EN 101
THERMO HYGROMRTRIC PROPERTIES	,		<u> </u>
Frost resistance	No damage	No damage	ISO - 10545-12
Thermal shock resistance	No damage	No damage	ISO - 10545-9
Moisture expansion	Nil	Nil	ISO - 10545-10
Thermal expansion (COE)	Max. 9.0x10°	Max. 6.5x10°	ISO - 10545-8
Crazing resistance	As per mfg.	Min 10 Cycle	ISO - 10545-11
CHEMICAL PROPERTIES	•		<b>'</b>
Chemical resistance	No damage	No damage	ISO - 10545-13
Stain resistance	Min. Class 3	Class 5	ISO - 10545-14
SEFETY PROPERTIES	<u> </u>		
Slip resistance	As per mfg.	> 0.40	ISO - 10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmium given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO - 10545-15

